

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

SDS Ref.: 30616

Date of issue: 14-8-2019 Revision date: 21-3-2019 Supersedes: 07-11-2018 Version: 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : AQUA KEM BLUE CONCENTRATED

Product code : 30616-TBV

Type of product : Additive for the waste-holding tank of mobile toilets.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

: Additive for the waste-holding tank of mobile toilets. Use of the substance/mixture Function or use category : Cleaning/washing agents and additives, Odour agents

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Thetford BV

Nijverheidsweg 29

P.O. Box 169

4879 AP Etten-Leur - The Netherlands

T +31(0)765042200 - F +31(0)765042300

<u>ChemSupport@thetford.eu</u> - <u>www.thetford-europe.com</u>

E-mail address of competent person responsible for the SDS:

sds@thetford.eu

#### 1.4. Emergency telephone number

Emergency number : Thetford B.V.: +31 (0)76 5042200 (Reachable during office hours)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



: Danger

Signal word (CLP)

Hazardous ingredients : Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium hydroxide; bronopol (INN); 2-bromo-2-nitropropane-1,3-diol

: H302 - Harmful if swallowed. Hazard statements (CLP)

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor.

: 433H-YT4U-Q800-T8WU

Child-resistant fastening : Not applicable
Tactile warning : Applicable

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

UFI

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	(CAS-No.) 52-51-7 (EC-No.) 200-143-0 (EC Index-No.) 603-085-00-8	5 - 10	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium hydroxide	(EC-No.) 932-051-8 (REACH-no) 01-2119565112-48	1 - 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

No additional information available

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

21-3-2019 (Version: 1.3) EN (English) 2/9

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Wash hands thoroughly after handling.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

Aqua Kem Blue Concentrated is an additive for the holding tank of your mobile toilet. It reduces and masks unpleasant smells. Helps to prevent gas build up. Keeps your tank clean.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

# 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

# Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

#### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : dark blue.
Odour : Pine.

Odour threshold : No data available

pH : 3,2 - 6,2

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point :  $\approx 0 \, ^{\circ}\text{C}$  Boiling point :  $\approx 100 \, ^{\circ}\text{C}$ 

21-3-2019 (Version: 1.3) EN (English) 3/9

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,036 - 1,056 g/ml
Solubility	: Water: 100 %
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 20 °C
Explosive properties	: No data available
Ovidicing proportion	· No data available

Oxidising properties : No data available

**Explosive limits** : No data available

9.2. Other information

VOC content : 0,02 %

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

: Harmful if swallowed. Acute toxicity (oral) Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

# **AQUA KEM BLUE CONCENTRATED**

ATE CLP (oral) 1499,135 mg/kg bodyweight

# Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium hydroxide

LD50 oral rat	>= 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
LD50 oral rat	305 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	>= 0,588 mg/l air Animal: rat

Skin corrosion/irritation : Not classified

pH: 3,2 - 6,2

Additional information : Based on available data, the classification criteria are not met

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Serious eye damage/irritation : Causes serious eye damage.

pH: 3,2 - 6,2

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

# bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

NOAEL (chronic, oral, animal/male, 2 years) 7 mg/kg bodyweight

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

# Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium

hydroxide

LOAEL (dermal, rat/rabbit, 90 days) >= mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 411

(Subchronic Dermal Toxicity: 90-Day Study)

# bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

LOAEL (oral, rat, 90 days)

20 mg/kg bodyweight Animal: dog

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

# Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium

hydroxide	
LC50 fish 1	> 1 mg/l
EC50 Daphnia 1	8,8 mg/l Test organisms (species): Daphnia magna
EC50 other aquatic organisms 1	> 1 mg/l waterflea
EC50 other aquatic organisms 2	> 10 mg/l
EC50 72h algae (1)	25 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h algae (2)	72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	1,18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0,23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)	
EC50 Daphnia 1	1,4 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	0,25 mg/l Test organisms (species): Skeletonema costatum

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

	0,37 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0,88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0,27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
	21,5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'

12.2. Persistence and degradability	
AQUA KEM BLUE CONCENTRATED	
	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. The fragrance is > 60 % biodegradable according to OECD 301D, Closed Bottle Test.

#### bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

Biodegradation 70 - 80 % OECD 301B Ready Biodegradability, CO2 Evolution Test, 28 days

## 12.3. Bioaccumulative potential

## **AQUA KEM BLUE CONCENTRATED**

Bioaccumulative potential Not established.

# Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulphonic acid, 4-methyl-, reaction products with sodium hydroxide

Log Pow 0,7

# bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

Bioaccumulative potential Low bioaccumulation potential.

#### 12.4. Mobility in soil

# bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

Ecology - soil No data available.

# 12.5. Results of PBT and vPvB assessment

# Component

bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

: Dispose in a safe manner in accordance with local/national regulations. Product/Packaging disposal recommendations

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
Special provision(s) applied : 375	Special provision(s) applied : 969	Special provision(s) applied : A197	Special provision(s) applied : 375	Special provision(s) applied : 375

These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 I or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

## 14.1. UN number

| UN 3082 |
|---------|---------|---------|---------|---------|

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

14.2. UN proper shippin	14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Transport document descr	iption				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	
14.3. Transport hazard o	class(es)				
9	9	9	9	9	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					
14.6 Special procaution	o for upor				

# 14.6. Special precautions for user

# **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 : T4 Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

: 90 Hazard identification number (Kemler No.)

Orange plates

# 90 3082

: TP1, TP29

# Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

: T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

: 274, 335, 375, 601 Special provisions (ADN)

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 51 Excepted quantities (RID)

Packing instructions (RID) : P001, IBC03, LP01, R001

: PP1 Special packing provisions (RID) Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T4 : TP1, TP29

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : LGBV Transport category (RID) : 3 Special provisions for carriage - Packages (RID) : W12

Special provisions for carriage - Loading,

: CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content : 0,02 %

# Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information** Indication of changes: Change Comments Section Changed item Supersedes Modified Revision date Modified Modified Date of issue 2.1 Classification according to Modified Regulation (EC) No. 1272/2008 [CLP] 2.2 Hazard pictograms (CLP) Modified 2.2 Precautionary statements (CLP) Modified 2.2 Modified Hazard statements (CLP) 9.1 Modified Viscosity, dynamic

Added : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 Data sources

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

11.1

ATE CLP (oral)

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.