


Product Specification

SPECIFICATIONS FOR NEW PRODUCTS

MODIFICATION: 02


CATA's reference:	UBGHFFJ60SS
Model's name:	UBGHFFJ60SS
Similar existing model:	GI 604 A/C
Brand:	UB
Bar code:	8422248609128
Rating label:	As per spec sent oem requeriment
Box label:	As per spec sent oem requeriment
Technical data:	-See the attached document
Silk-screened logo:	- See the attached document
Packaging:	See the attached file (artwork).
Instruction manual:	<p>Supplied by: NAC</p> <p>Brand: (none)</p> <p>Languages: English</p>
Modification	<p>00 2015.11.02 New Document</p> <p>01 2016.01.26 Modified date code</p> <p>02 2016.03.25 Change the fiber wahser and AD label</p>
Guarantee card:	<p>Supplied by: NAC</p> <p>Brand:(none)</p> <p>Languages:English</p>
Remarks:	Mass production is accepted to be release when this document is accepted by CATA Spain


Installation drawing



No.		kW
4	Triple	3
3	Rapid	2.5
2	Semirapid	1.75
1	Auxiliary	1


UBGHFFJ60SS



Cata PSP Code	Cata Model Code	Manufacture model	Product Description									First order
			AI	FFD	Triple ring	Cast iron pan support	Glass Panel	Inox Panel	Battery	knobs	comment	
	UBGHFFJ60SS	GI 604 A/C	x	x					x		Plastic + aluminum coverl	

FFD=flame failure device
 AI=auto ignition function

Plug we should use



Product reference code	產品代碼	:	UBGHFFJ60SS
EAN code	條形碼	:	8422248609128
Manufacturer	廠家	:	NAC
Issue By	制表人	:	Lizhi
Issue Date	制表日期	:	2015/11/2
Approve By	審核人	:	Vincent



Customer & Prod. Spec.	客戶及產品資料		
Customer	客戶	:	UB
CATA Model	我方型號	:	UBGHFFJ60SS
Manufacturer model	生產廠型號	:	GI 604 A/C
Product type	產品類型	:	GAS hob
Brand	牌子	:	(none)
Market	銷售國家	:	UK
Rating	要求標值	:	220-240V~ 50/60Hz
Approval	安規要求	:	GAD EMC LVD
Directive	符合指令	:	CE Rohs

PARTS	零件		
Special details	特別細節	:	不設附頁 Appendix E
Circuit Diagram	線路圖	:	Appendix E1
Explode Diagram	爆炸圖	:	Appendix E2
Power cord set	電源線組合		

Power cord	電源線	:	3x0.75mm ²	VDE	Black
Plug	插頭	:	Without plug	Immetro	
Length	長度	:	<input checked="" type="checkbox"/> Full <input type="checkbox"/> External Length	L (m) =	1.75±0.05m

PRODUCT ARTWORK	產品說明		
Pad / SilkScreen print and main size	移印/絲印及主尺寸	:	Appendix B
Brand	品牌	:	(none) Appendix B
On / Off Pos	開關掣位	:	Appendix B Appendix B
Other	其它	:	None Appendix B
Marking / Label	标识/貼紙	:	at the bottom of the hob Appendix C
Rating	額定功率	:	<input checked="" type="checkbox"/> Label <input type="checkbox"/> Insert Appendix C
Danger	警告	:	<input type="checkbox"/> Label <input type="checkbox"/> Insert Appendix C
Datecode	製造日期	:	<input checked="" type="checkbox"/> Label <input type="checkbox"/> Insert Appendix C
Spare parts	後備零件	:	same as normal mass production Appendix C

PACKING	包裝資料		
Product Package Setting	產品包裝資料設定		Appendix D
Drop Test Request	墜地要求	:	CATA Packaging Test Procedure <input type="checkbox"/> <input checked="" type="checkbox"/> M Carton
Clamp test	鉗測試	:	CATA Packaging Test Procedure <input type="checkbox"/> <input type="checkbox"/> M Carton
Stack test	層壓測試	:	CATA Packaging Test Procedure <input type="checkbox"/> <input checked="" type="checkbox"/> M Carton
Inner Box	內盒	:	none <input type="checkbox"/> <input type="checkbox"/> Whit <input type="checkbox"/> Brown Appendix F
Instruction manual	說明書	:	IM_UBGHFFJ60SS_v0说明书 5.5.0000028(CT) Appendix G
Guarantee Sheet	保證咭	:	GC-APEL090614V1R2-PR保證咭_5.5.0000030 Appendix G2
registration card	登記卡	:	WRC-APEL130514V1R3-PR(登記卡) 5.50000031 Appendix G
Other	其它	:	CUT-OUT SIZE BOARD Appendix G
Poly Bag	膠袋	:	Cata 11 text on polybag 2006.05.08 with at least 4 HOLES when it is or more than 6" opening with single color WARNING WORDING [11 languages]
Inner Card	內卡	:	CUT-OUT SIZE BOARD
Carton	外箱	:	1pc / CARTON Appendix H

INSPECTION	驗貨		
Inspection specification	驗貨指標	:	MIL-STD-105E LEVEL II; AQL:CRITICAL 0/MAJOR 1.0/MINOR 4.0
Doc required	文件要求	:	<input checked="" type="checkbox"/> Approval Cert <input checked="" type="checkbox"/> Test Report
Inspection by	驗貨員	:	ATA

REMARK **備註**

APPENDIX **附頁** Appendix A~H

CATA China/TAS Product Specification

Appendix A

Colour for main parts 主要部份顏色



No.	Description	名稱	Color
1	main body	面板	Stainless steel
2	burner cap	火盖	enamelled
3	pan support	锅架	enamelled
4	knob	旋钮	Plastic + aluminum cover
5	AD label	广告贴纸	

Other

其它



Appendix B

Pad / SilkScreen print

移印/絲印

Main size

主尺寸

Main size as shown in the drawing below 見下圖

Brand


牌子

(none)

Font

字樣/型

: ---



Other

Font

其它

Switch knob

Size

字樣/型

: 请看右图

Location

尺寸

: not specified

Color

位置

: 请看右图

Remark

顏色

: Plastic + aluminum cover

備註

:




Appendix C

Marking / Label

蚀刻/贴纸


Rating

Part no	物料編號	:	-----
Font	字樣/型	:	not specified
Size	尺寸	:	not specified
Location	位置	:	back location of the bottom cover
Color	顏色	:	black wordings with silver background
Quantity	數量	:	1 PC
Remark	備註	:	
	1. Logo	:	(none)
	2. Reference number	:	UBGHFFJ60SS
	3. CATA/Nodor model name	:	UBGHFFJ60SS
	4. EAN code	:	
	5. Date code	:	六位日期碼RYYWWW
	6. Data of using Gas pressure for G:	:	20mbar
	7. Data of using Gas pressure for G:	:	28-30mbar
	8. Electrical rating	:	220-240V ~ 50/60Hz
	9. Flame rating	:	7.0KW
	10. Preinstalled nozzle	:	G20 (NG)



Carton label

Part no	物料編號	:	-----
Font	字樣/型	:	not specified
Size	尺寸	:	not specified
Location	位置	:	both the side of carton
Color	顏色	:	black wording with white background
Quantity	數量	:	2 PCS
Remark	備註	:	
	1. Logo	:	(none)
	2. Reference number	:	UBGHFFJ60SS
	3. CATA/Nodor model name	:	UBGHFFJ60SS
	4. EAN code	:	8422248609128
	5. Date code	:	六位日期碼RYYWWW
	6. Data of using Gas pressure for G:	:	20mbar
	7. Data of using Gas pressure for G:	:	28-30mbar
	8. Electrical rating	:	220-240V ~ 50/60Hz



AD label

Part no	物料編號	:	-----
Font	字樣/型	:	not specified
Size	尺寸	:	70*50mm
Location	位置	:	right lower corner of gashob panel
Color	顏色	:	black wording with red background
Quantity	數量	:	1 PCS
Remark	備註	:	



Datecode

Part no	物料編號	:	-----
Font	字樣/型	:	no specify
Size	尺寸	:	no specify
Location	位置	:	on the Carton label & on the rating label
Color	顏色	:	black wordings
Quantity	數量	:	3 PCS
Remark	備註	:	-----

四位日期碼YYWW
- . YY: 2 last numbers of the year
- . WW: Week number

八位日期碼YYWWXXXX
- . YY: 2 last numbers of the year
- . WW: Week number
- . XXXX: Correlative number of unit.

六位日期碼RYYWWW
R: 符合RoHS的年份, 及后是 W
然后两位数年份, 及后是 W
再加两位数生产的月历周。月历周是要清楚明白, W01代表生产是在一月份第一个月历周进行, 而W02代表生产是在一月份第二个月历周进行, 如此类推。

EXAMPLE: R05W25 (R = RoHS Compliant; 05 = production year 2005; W25 = calendar week 25)
例子: R05W25 (R = 符合RoHS; 05 = 生产年份是 2005年; W25 = 月历第25周)

Length

Part no	物料編號	:	-----
Font	字樣/型	:	-----
Size	尺寸	:	37.29X26.26mm (注意此尺寸)
Location	位置	:	on the carton label
Color	顏色	:	Black wording with white background
Quantity	數量	:	2 PCS
Remark	備註	:	the last position of the barcode digital should be >(barcode的字尾要加上 >)



Example only for dimension and format, 此圖只是例子, 非實樣.

Spare parts


Part no	物料編號	:	1% easy broken parts
Font	字樣/型	:	-----
Size	尺寸	:	-----
Location	位置	:	-----
Color	顏色	:	-----
Quantity	數量	:	-----
Remark	備註	:	-----

The list on the right has to be plaste on the carton; the relative list mentioning the details has to be placed inside carton box

PO number:
Supplier:
Model:
P/N:
Name of the component: (please use a separate paper to list all of them if too many)
Quantity: ?pcs/box;
Net weight: ; Gross weight:
Carton no:

Appendix D
Product Package Setting

產品包裝資料設定

產品名稱 : GAS hob		包裝資料		<input type="checkbox"/> 預定				
產品型號 : UBGHFFJ60SS				<input checked="" type="checkbox"/> 確定				
配件清單(箱中配件列表) Partlist(for assemblies inside each gift box)<==Not included the main body of sink								
Item	Name 名稱	零件編號	Remark 備注		Quantity數量(pcs)			
1	hob body 灶体				1pc			
2	burner divider 分火器				4pcs			
3	burner cap 火盖				4pcs			
4	Pan support 锅架				2pcs			
5	user manua 说明书				1pc			
6	hole size board 开孔纸板		475*555mm		1pc			
7	LPG nozzle 液化气喷嘴				4pcs			
8	waterproof sponge 海棉条				1pc			
9	elbow tie in with sealing ring 弯头和垫圈				1set			
11	fixture bracket 安装挂钩				3pcs			
12	fixture screw 安装螺钉				3pcs			
13	Guarantee card 保修卡				1pc			
14	Register card 登记卡				1pc			
								
Nozzle Dimension:								
		On bag		Mounted				
	LPG	CT Burner	TJ Burner	NG	CT Burner	TJ Burner		
	Triple	0.88	0.92	Triple	1.24	1.2		
	Rapid	0.81	0.84	Rapid	1.14	1.08		
	Semirapid	0.69	0.69	Semirapid	0.98	0.92		
	Auxiliary	0.51	0.53	Auxiliary	0.74	0.69		
Packing (measurements in mm & kg)								
	No. of Units	Length	Width	Height	Net Wgt	Gross Wgt	CBM	CBFT
Outer carton:-	1	630	550	170			0.0589	2.0800
Inner (if used):-								
Unit:-	1	590	510		9.5	10.5		
			20'	40'	40'HQ	45'		
No. of Units Per Container Type w/o Palletization:-			481	975	1,125			
No. of Units Per Container Type with Palletization:-								
Packaging Meth	Article Bar Code	Outer Bar Code	Inner Bar Code	Tariff Code	GSP Form A	Duty%		
CARTON BOX								
Packaging Material / Requirment								
	Pass result	Remark						
Drop test		<input checked="" type="checkbox"/> CATA Packaging Test Procedure						
Clamp test		<input type="checkbox"/> CATA Packaging Test Procedure						
Stack test		<input checked="" type="checkbox"/> CATA Packaging Test Procedure						

請見 Appendix F

裝箱方法

請見 Appendix D2

Remark:

Appendix D2
Product Package Setting

装箱方法 one unit for each carton box

These pictures just only showing process of packing




整机装胶袋



纸箱贴纸粘贴

Appendix E1
Circuit Diagram

線路圖



- ① electrical box
- ② switch
- ③ impulse device


CATA China/TAS Product Specification

Appendix F

Product Package Setting

Part no	物料編號	:	
Shape	盒型	:	Square
Size	尺碼	:	630*550*170
Color	顏色	:	<input type="checkbox"/> Colouer <input type="checkbox"/> White <input checked="" type="checkbox"/> Brown
Material	材料	:	K=A+
Coating	面油	:	-----
Remark	備註	:	

紙箱展開圖 圖面為紙箱表紙面 (E坑,表紙面=260gsm)



CATA China/TAS Product Specification

Appendix G

Instruction manual

說明書

Part no	物料編號	:	IM_UBGHFFJ60SS_v0说明书 5.5.0000028(CT)
Shape	型	:	----- <input type="checkbox"/> singal paper(单张) <input type="checkbox"/> paper folding(折纸) <input checked="" type="checkbox"/> binding(钉装) <input type="checkbox"/> other(其它)
Size	尺碼	:	A4 paper with once folded (成品為A5尺寸小冊子)
Color	顏色	:	Text in black and paper in white
Material	材料	:	70gsm,white paper
Remark	備註	:	The hole size baord is as below, should be included in every box



CATA China/TAS Product Specification

Appendix G2

Guarantee Sheet

保証書

Part no 物料編號 : GC-APEL090614V1R2-PR保証書_5.5.0000030

Shape 型 : Square singal paper(单张) paper folding(折纸) binding(钉装) other(其它)

Size 尺碼 : A5paper(成品為A5尺寸)

Color 顏色 : Text in black and background in white

Material 材料 : same as IM

Remark 備註 :

GC-APEL090614V1R2-PR保証書_5.5.0000030


Appendix H

Carton

外箱

Shape	盒型	:	標準卡通箱型, 不可有釘(no nail allowed on box)
Size	尺碼	:	見 Appendix D
Color	顏色	:	啡盒黑字(Box in brown and text in black)
Material	材料	:	K=A+
Nylon Tie	尼龍帶	:	散货柜货都不可打帶(no strapping)
Tape	封箱膠紙	:	透明, OPP, W=57 - 60mm 不可[發現]翻貼(以免收貨者懷疑曾被不知明開箱)
Remark	備註	:	-----


FRONT MARK 正唛 (1)



FRONT MARK 正唛 (2)



SIDE MARK 側唛 (1)



SIDE MARK 側唛 (2)



TOP MARK 頂唛

